**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

## **Novalis Innovative Flooring**

55 West Beaver Creek Road, Unit 29, Richmond Hill, Ontario, Canada

For the following product(s):

## **Vinyl Tile:**

HPC 553 Plus, HPC 603 Plus, HPC 655 Premium Plus, HPC 755 Premium Plus, HPC 757 Premium28 Plus, NovaFloor-Birkdale, NovaFloor-Birkdale LLT, Kempten, Lyndon, Lyndon NovaClic, NovaCore HPC, Novafloor-Abberly, NovaFloor/Novalis-Casa, NovaFloor-Davidson, NovaFloor-Hartsfield, NovaFloor-Providence, NovaFloor/Novalis Casa NovaClic, Novalis 203, Novalis 257, Novalis 3110, Novalis-Artisan, Novalis-Fresh, Novalis-Impression, Novalis-Light Wood, Novalis-Light Wood NovaClic, Novalis-Linear, Novalis P141, Novalis P201, Novalis P251, Novalis-Rural, Novalis-Simple, Novalis-Stone, Novalis-Stone NovaClic, Novalis-Trend, Novalis-Urban, Novalis-Wood, Seneca





Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-02221

Valid from: May 1, 2017 to April 30, 2018

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.







Stanley Mathuram, PE, Vice President SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA